

## CLAIMS

What is claimed is:

1. A waterfowl decoy comprising: a buoyant body; a weighted reel rotatably mounted to said buoyant body; a flexible anchor line attached to said rotatably mounted reel; an anchor attached to said anchor line.
2. The decoy set forth in claim 1 further comprising means to secure said anchor line.
3. The decoy set forth in claim 1 wherein said weighted reel is unevenly weighted.
4. The decoy set forth in claim 1 wherein said buoyant body contains a recess.
5. The decoy set forth in claim 4 wherein said reel is mounted in said recess.
6. The decoy set forth in claim 5 wherein said reel is mounted in said recess and partially disposed within a recess in said buoyant body and partially disposed outside said recess.
7. The decoy set forth in claim 1 wherein said anchor line is trained through an opening in said buoyant body.
8. The decoy set forth in claim 7 wherein said buoyant body receives said counter-sink anchor and said anchor is partially disposed within said buoyant body.
9. The decoy set forth in claim 1 wherein said means to secure said anchor line comprises an integrated cranking means.

10. The decoy set forth in claim 1 wherein said reel contains one or more holes located in the outer hub of said reel.
11. A waterfowl decoy comprising: a buoyant body, a reel rotatably mounted to said buoyant body; a flexible anchor line attached to said rotatably mounted reel; and anchor attached to said anchor line; and an integrated cranking means to secure said anchor line.
12. The decoy set forth in claim 11 wherein said integrated cranking means comprises an inner crank member operably joined to an outer crank member by a jointed attached; said outer crank member attached to a handle.
13. The decoy set forth in claim 11 wherein said integrated cranking means integrates with said buoyant body by retraction means.
14. The decoy set forth in claim 11 wherein said buoyant body contains a recess.
15. The decoy set forth in claim 14 wherein said reel is mounted in said recess.
16. The decoy set forth in claim 15 wherein said reel is mounted in said recess and partially disposed within a recess in said buoyant body and partially disposed outside said recess.
17. The decoy set forth in claim 11 wherein said anchor line is trained through an opening in said buoyant body.

18. The decoy set forth in claim 17 wherein said buoyant body receives said counter-sink anchor and said anchor is partially disposed within said buoyant body.
19. The decoy set forth in claim 1 wherein said reel contains one or more holes located in the outer hub of said reel.
20. A waterfowl decoy comprising: a buoyant body, a weighted reel rotatably mounted to said buoyant body; a flexible anchor line attached to said rotatably mounted reel; and anchor attached to said anchor line; and an integral cranking means to secure said anchor line.